

SurveyQuotas Returned Fields

Last Modified on 02/15/2017 4:12 p m EST

Returned fields for the SurveyQuotas sub-object are explained below. Go to the [Example Returns](#) section to view return examples for each call type.

Returned Fields for the SurveyQuotas Object

Field	Description	Format
id	Quota ID	number
name	Quota Name	string
description	Quota Description	string
responses	Number of responses within quota	number
limit	Quota limit	number
distributed	Indicates whether quota is distributed logic type	boolean
groups	Array of all quota conditions	array
Groups Fields		
id	Quota Group ID	string
rules	Array of separate quota rules	array
Rules Fields		
id	Quota Rule ID	string
input_value	Survey question, System Data, etc.	number/string
operator	Logic condition i.e. "is exactly equal to"	number
answers_type	Indicates whether the answer is open-text/input	number
answers_values	Values on which quota conditions are based i.e. an answer to a specific question	number/string

Field	Description	Format
rule_percentage (distributed=true)	Percentage distribution among quota rules within a single group (must equal 100 among rules in one group)	number
next_operator (distributed=false)	The operator joining separate groups within a quota or separate rules within a group (must be either "or" or "and")	string

Example Returns (.json format)

- [GetList Return Example](#)
- [Get SurveyQuotas Return Example](#)
- [Create SurveyQuotas Return Example](#)
- [Update SurveyQuotas Return Example](#)
- [Delete SurveyQuotas Return Example](#)

GetList Return Example (.json format):

```
{
  "result_ok": true,
  "quotas": [
    {
      "id": "123",
      "name": "Female Quota",
      "description": "",
      "responses": "0",
      "limit": "100",
      "distributed": "false"
    },
    {
      "id": "321",
      "name": "Male Quota",
      "description": "",
      "responses": "0",
      "limit": "100",
      "distributed": "false"
    }
  ]
}
```

Get SurveyQuotas Return Example (.json format):

```
{
  "result_ok": true,
  "id": "123",
  "name": "Female Quota",
  "description": "",
  "limit": "100",
  "responses": "0",
  "distributed": "false",
  "groups": [
    {
      "id": "123abc456",
      "rules": [
        {
          "id": "654cba321",
          "input_value": "5",
          "operator": "12",
          "answers_type": "17",
          "answers_values": [
            "5-10002"
          ]
        }
      ]
    }
  ]
}
```

Create SurveyQuotas Return Example (.json format):

```
{
  "result_ok": true,
  "id": "123",
  "name": "Demo Quota",
  "description": "",
  "limit": "100",
  "responses": "0",
  "distributed": "false",
  "groups": [
    {
      "id": "123abc456",
      "rules": [
        {
          "id": "654cba321",
          "input_value": "5",
          "operator": "12",
          "answers_type": "17",
          "answers_values": [
            "5-10002"
          ]
        }
      ]
    }
  ]
}
```

Update SurveyQuotas Return Example (.json format):

```
{
  "result_ok": true,
  "id": "123",
  "name": "Demo Quota 2",
  "description": "",
  "limit": "111",
  "responses": "0",
  "distributed": "false",
  "groups": [
    {
      "id": "123abc456",
      "rules": [
        {
          "id": "654cba321",
          "input_value": "5",
          "operator": "12",
          "answers_type": "17",
          "answers_values": [
            "5-10002"
          ]
        }
      ]
    }
  ]
}
```

Delete SurveyQuotas Return Example (.json format):

```
{
  "0": true,
  "result_ok": true
}
```