

# ContactCustomField Object

Last Modified on 01/31/2018 4:38 pm EST |

The following API calls are currently available for the ContactCustomField object:

- GET LIST
- GET CONTACTCUSTOMFIELD
- CREATE CONTACTCUSTOMFIELD
- CHANGE/UPDATE CONTACTCUSTOMFIELD
- DELETE CONTACTCUSTOMFIELD

**GET LIST** - Get a list of all of your contact custom fields.

<https://restapi.surveygizmo.com/v5/contactcustomfield>

*Note: Get requests will cache for 60 seconds. If you make repeated API get requests that are identical, the return will be cached and will thus return identical results.*

Parameters	Example	Required
Authentication Credentials	api_token=abcd12345&api_token_secret=abcd12345	True
page	page=3	False
resultsperpage	resultsperpage=100	False

Response Example (.json format):

```

{
  "result_ok": true,
  "data": {
    "1": {
      "id": "1",
      "name": "customer_id",
      "type": "Number"
    },
    "2": {
      "id": "2",
      "name": "subscription_type",
      "type": "Text"
    },
    "3": {
      "id": "3",
      "name": "renewal_date",
      "type": "Date/Time"
    }
  }
}

```

**GET CONTACTCUSTOMFIELD** - Get information about a specific contact custom field.

<https://restapi.surveygizmo.com/v5/contactcustomfield/1>

*Note: Get requests will cache for 60 seconds. If you make repeated API get requests that are identical, the return will be cached and will thus return identical results.*

Parameters	Example	Required
Authentication Credentials	api_token=abcd12345&api_token_secret=abcd12345	True
page	page=3	False
resultsperpage	resultsperpage=100	False

Response Example (.json format):

```

{
  "result_ok": true,
  "data": {
    "id": "1",
    "name": "customer_id",
    "type": "Number"
  }
}

```

## CREATE CONTACTCUSTOMFIELD- Create a new contact custom field.

[https://restapi.surveygizmo.com/v5/contactcustomfield?  
\\_method=PUT&name=customfield&type=Text](https://restapi.surveygizmo.com/v5/contactcustomfield?_method=PUT&name=customfield&type=Text)

Parameters	Example	Required
<a href="#">Authentication Credentials</a>	api_token=abcd12345&api_token_secret=abcd12345	True
name	Contact Custom Field Name (e.g. Customer ID)	True
type*	Text, Date/Time, Currency, Number, Yes/No	False

\*type will default to Text if not specified

Response Example (.json format):

```

{
  "result_ok": true,
  "data": {
    "id": "6",
    "name": "plan_type",
    "type": "Text"
  }
}

```

## CHANGE/UPDATE/ADD TO CONTACTCUSTOMFIELD- Update your contact custom field.

[https://restapi.surveygizmo.com/v5/contactcustomfield/1?  
\\_method=POST&name=updatedname&type=Text](https://restapi.surveygizmo.com/v5/contactcustomfield/1?_method=POST&name=updatedname&type=Text)

Parameters	Example	Required
<a href="#">Authentication Credentials</a>	api_token=abcd12345&api_token_secret=abcd12345	True
name	Contact Custom Field Name (e.g. Customer ID)	True
type*	Text, Date/Time, Currency, Number, Yes/No	False

\*type will default to Text if not specified

Response Example (.json format):

```
{
  "result_ok": true,
  "data": {
    "id": "6",
    "name": "updatethisfield",
    "type": "Text"
  }
}
```

**DELETE CONTACTCUSTOMFIELD** - Delete a contact custom field.

[https://restapi.surveygizmo.com/v5/contactcustomfield/1?\\_method=DELETE](https://restapi.surveygizmo.com/v5/contactcustomfield/1?_method=DELETE)

Parameters	Example	Required
<a href="#">Authentication Credentials</a>	api_token=abcd12345&api_token_secret=abcd12345	True

Response Example (.json format):

```
{
  "result_ok": true
}
```